TECHNICAL SPECIFICATIONS

AMATURO THEATER





Fort Lauderdale, Florida October 2019

TABLE OF CONTENTS

GENERAL CONTACT INFORMATION	2
MAP & DIRECTIONS	3
TRUCK, BUS & VEHICLE PARKING	3
SITE PLAN	4
LOADING DOCK INFO	6
SEATING CAPACITY	7
SEATING CHART	8
STAGE SPECIFICATIONS	9
ORCHESTRA PIT / STAGE THRUST INFORMATION	9
STAGE DIMENSIONS & GROUND PLAN	10
RIGGING SPECIFICATIONS / OBSTACLES	12
SOFTGOODS INVENTORY	12
HANGING PLOT / LINE SCHEDULE	13
SOUND AND COMMUNICATIONS	15
LIGHTING INFORMATION	20
POWER DISTRIBUTION	20
GENIE LIFT	20
DIMENSIONAL INFORMATION	21
ORCHESTRA EQUIPMENT / CONCERT SHELL INFORMATION	26
DRESSING ROOMS/SUPPORT SPACES	27
BACKSTAGE MAP	30

Amaturo Theatre

at the

Broward Center for the Performing Arts

201 Southwest 5th Avenue Fort Lauderdale, FL 33312 Main Office (954) 522-5334 (M-F 8:30A-5:30P) Main Fax (954) 468-2549 Box Office (954) 468-3338

PRODUCTION

Director of Production	Tim Lessig	(954) 468-2557	tlessig@browardcenter.org
Production Manager	Chris Jahn	(954) 765-5802	cjahn@browardcenter.org
Production Manager	Lucas Bonewits	(954) 468-3317	lbonewits@browardcenter.org
Production Supervisor	Angel Wrona	(954) 765-5819	awrona@browardcenter.org
Production Manager	Craig Lozowick	(954) 414-6906	clozowick@browardcenter.org
Production Fax		(954) 468-3315	
Stage Door Security Desk		(954) 468-3323	

EVENT SERVICES

Vice President of Operations	Shelly Bradshaw	(954) 468-2696 sbradshaw@browardcenter.org
Director of Event Services	Pablo Urquilla	(954) 468-3313 purquilla@browardcenter.org
Event Services Manager	Kerry McCloskey	(954) 414-6905 kmccloskey@browardcenter.org
Event Services	Brandy DeMil	(954) 660-6350 bdemil@browardcenter.org

STAGE LABOR - I.A.T.S.E. Local 500

The Broward Center for the Performing Arts employs members of I.A.T.S.E. Local 500 for all productions in the Au-Rene Theatre. For further information, please contact Production Staff for labors rates and work rules.

Head Carpenter	Adam Colburn	(954) 892-8596 <u>acolburn027@outlook.com</u>
Head Sound (steward)	Parrish Thompson	(954) 707-7500 pthomp02@gmail.com
Head Electrician	Margaret Carrol	(702) 419-4842 <u>margretmae@gmail.com</u>
Assistant Electrician	Janine Elmore	(954) 802-2694 janinescene@gmail.com
Business Agent Local #500	Terry McKenzie	(954) 881-2353 termack 500@gmail.com

ADDITIONAL CONTACTS INFORMATION

Vice President of Programming	Matt McNeil	(954) 468-3312	mmcneil@browardcenter.org
Director Of Programming	Jill Kratish	(954) 468-3295	jkratish@browardcenter.org
Director of Guest Services	David Dillon	(954) 468-3305	ddillon@browardcenter.org
Director of Food & Beverages	Vinnie Venezia	(954) 468-3337	vvenezia@browardcenter.org
Admin. Mgr F&B – Merch	William Stoneberg	g(954) 468-3336	wstoneberg@browardcenter.org

MAP & DIRECTIONS

The Broward Center is conveniently located in the Riverwalk Arts & Entertainment District in downtown Fort Lauderdale, equidistant between Dade and Palm Beach Counties and can be reached by several routes.

From Interstate-95:

Exit at Broward Boulevard, Go east.

From Florida Turnpike (southbound):

Exit at Sunrise Boulevard, Go East to South-bound I-95, exit Broward Boulevard. Go east.

From Florida Turnpike (northbound):


Exit at I-595, Go East to North-bound I-95, exit Broward Boulevard, Go east.

To Backstage Parking Lot:

From Broward Boulevard turn right (South) onto SW 7th Avenue (Avenue of the Arts). Turn left at West Las Olas Blvd (the second light). Take an immediate left into the backstage lot security gate. Push the buzzer to contact guard. Identify yourself and guard will let you enter.

To Parking Garage and Valet:

Broward Boulevard. Turn South onto SW 5th Avenue. The Arts and Science Parking Garage is on the immediate right, or, proceed straight ahead, cross 2nd Street (Himmarshee St.) and continue to the top of the hill for valet service.



From Fort Lauderdale Airport to Backstage Lot:

Take the "USI / Federal Highway Northbound" exit out of the Airport. Travel North on USI to SE 17th Street Causeway. Turn left (West) and go to SW 4th Avenue and turn right (North). SW 4th Avenue will become SW 7th Avenue at the bridge. Go over the bridge, turn right at West Las Olas Blvd . Take an immediate left into the backstage lot security gate. Push the buzzer to contact guard. Identify yourself and guard will let you enter.

North Gate - Trucks going to Loading Dock:

From Broward Boulevard turn South onto SW 5th Avenue. Turn right at Second Street (Himmarshee Street). The gate entrance to back-stage lot is on your left. Push the buzzer to contact guard. Identify yourself and guard will let you enter.

GPS Address (do not use for anything else!)

To the backstage Security gate:

641 West Las Olas Boulevard

Fort Lauderdale;

To the North Gate (truck & bus parking)


582 SW 2nd Street

Fort Lauderdale FL

TRUCK, BUS & VEHICLE PARKING

Truck & Bus Parking on site is limited. There is parking available directly backstage in the lot for 10 cars and additional parking available for 40 cars in the Arts and Science parking garage located across the street from the theatre. All parking arrangements must be discussed with Production Staff prior to the event for necessary passes and badges.

Broward Center Site Plan




BCPA Parking Lot



LOADING DOCK

The Amaturo Loading Dock is located at the southwest corner of the building at S.W. 7th Ave and Las Olas Boulevard, but trucks must use the entrance on the north end of the parking lot on Himmarshee Street. There are two loading bays. The dock is 3' high, and the receiving doors are 8' wide by 8' high. The doors from the receiving area onto the stage are 7'-6"w x 25'h'.



The staging area is used to store the Amaturo's orchestra shell, as well as other equipment, depending on activities within the building. This will not impede loading equipment into the theater, but if you need that space during your event, please discuss with the Production Department in advance of your event.

Prior notice is necessary if the dock will be accommodating a tractor trailer longer than 40'; part of the lot

must be reserved so the truck can maneuver.

Shore Power is available (inside the receiving area long shared wall with the electrical closet), but you must supply your own tails.



SEATING INFORMATION AND CAPACITY


(MAXIMUM SEATING CAPACITY IS 582 SEATS (See seating map on follow page)

Orchestra Section Rows A – T 488 seats


Side Tiers Rows V – W 90 Seats

Box Seats 8 Seats

Total 582 seats



SEATING CHART



STAGE SPECIFICATIONS

STAGE FLOOR is a semi-sprung floor with double layer tongue and groove plywood on aluminum sleepers over rubber blocks, and finished with black masonite/bennelex. The rubber blocks are surrounded by a steel channel which limits over-decompression. Any damage to floor incurred by a production must be restored.


HEIGHT OF GRID	50'
HEIGHT OF PROSCENIUM	25'
WIDTH OF PROSCENIUM	39' 10"
HEIGHT OF GALLERIES Upper Loading Gallery Middle Loading Gallery Pin Rail SL	50' 26' 6" 25' 5"
DEPTH OF STAGE (from Plaster Line)	40'
WIDTH OF STAGE Width of stage (center to SR) Width of stage (center to SL)	75'-6" 32' 39' -6"
CENTER STAGE TO PINRAIL SR	36'
APRON (from Plaster Line) (from House Curtain)	l' -7" 2' -7"
FULL THRUST (from Plaster line) (from House Curtain	10' -7'' 11' -7''
HEIGHT OF STAGE (seating level to stage level)	3' -4"


ORCHESTRA PIT

The Pit has a cover that extends the stage apron to 10'-7". This cover consists of 15 pieces that are manually moved down to create the floor of the Pit for use. The Pit under-hang is 5'-6"

Opening (Stage Edge to DS Pit Wall) Overall Dimensions (including pit under-hang) Approximate Capacity of Musicians	9' 40' x 14' 6" (D shaped) 35
HEIGHT OF PIT (pit level to stage level)	8' -3"

STAGE DIMENSIONS & GROUND PLAN





RIGGING SPECIFICATIONS

Single purchase counterweight, hand-operated line sets operated from the deck stage right.

NUMBER OF LINE SETS 73 line sets, 6" on center

GRID HEIGHT 50'

TRAVEL DISTANCE 48'

MAX WEIGHT PER ARBOR 1400 lbs

TOTAL WEIGHT AVAILABLE 102,200 lbs

LENGTH OF BATTENS 48'

TAB PIPES (5 pairs) 26' OC SL & SR

HOUSE CURTAIN is a manual counterweight guillotine center split velour curtain located 5" upstage from smoke pocket. Curtain in operated from stage level down stage right and is not part of the operating rail. House Curtain is permanent and cannot be moved or removed.

SOFT GOODS INVENTORY

- 6 black velour borders (10' h x 48' w)
- l2 black velour legs (27' h x 10' w)
- 8 Black Velour tabs (27' h x 4' w)
- I black velour split traveler curtain (27' h x 45' w)
- 2 black velour curtains (27' h x 45' w)
- I black sharks tooth scrim (27' h x 48' w)
- I white cyclorama (27' h x 48' w)

Hanging Plot

SHOW:				
Line Set#	Position	House Hang	Show Hang	Weight
	0"	Smoke Pocket		
	5"	House curtain		
I	1'8"	#I black border & choir mics		
2	2'2"	#I Black Legs		
3	2'8"	Christie Projector Pipe		
4	3'2"	Electric #I		
5	3"8"			
6	4'2"			
7	4'8"			
8	5'2"			
9	5'8"			
10	6'2"	#IB Elec (movers)		
11	6'8"	,		
12	7'2"			
13	7'8"	#2 black border		
14	8'2"			
15	8'8"	#2 black legs 19'/extra masking		
16	9'2"	9'x6' Screen		
17	10'2"	#2 Electric w/ LED's		
18	10'8"			
19	11'2"			
20	11'8"			
21	12'2"			
22	12'8"			
23	13'2"			
24	13'8"	#2C Electric Moving Lights		
25	14'2"	#3 Black Border		
26	14'8"	#3 black legs 19'		
27	15'2"			
28	15'8"	Black Scrim		
29	16'2"	Blackout Drop		
30	16'8"	Judenoue 2 : op		
31	17'2"	#3 Electric w/ LED's		
32	17'8"	, o licedite w, LLD 3		
33	18'2"			
34	18'8"			
35	19'2"			
36	20'1"			
37	20'8"	Screen storage		

39 21'8" #4 black border 40 22'2" #4 black legs 19' 41 22'8" 42 23'2" 43 23'8" 44 24'2" #4 Electric 45 24'8" 46 25'2" 47 25'8" #4A Electric LED PARs 48 26'2" 49 26'8" 50 27'2" 51 27'8" 52 28'2" #5 black border 53 28'7" #5 black legs 19' 55 30'2" 56 30'8" Electric #5 57 31'2" 58 31'8" 59 32'2" 60 32'8" 61 33'2" Traveler B.O. Drop 62 33'8" 63 34'2" #6 Electric (5 Far Cyc 3 Cir) 64 34'8" 65 35'2" 66 35'8" 67 36'2" #6 black legs 70 37'7" White filled scrim-CYC 71 38'1" Old Blackout Drop			_	 _
40 22'2" #4 black legs 19' 41 22'8" 42 23'2" 43 23'8" 44 24'2" #4 Electric 45 24'8" 46 25'2" 47 25'8" #4A Electric LED PARS 48 26'2"' 49 26'8" 50 27'2" 51 27'8" 52 28'2" #5 black border 53 28'7" #5 black legs 19' 54 29'1" 55 30'2" 56 30'8" 57 31'2" 58 31'8" 59 32'2" 60 32'8" 61 33'2" Traveler B.O. Drop 62 33'8" 63 34'2" #6 Electric (5 Far Cyc 3 Cir) 64 34'8" 65 35'2" 66 36'8" 66 37'2" #6 black legs 70 37'7" White filled scrim-CYC 71 38'1" Old Blackout Drop	38	21'2"		
41 22'8" 42 23'2" 43 23'8" 44 24'2" #4 Electric 45 24'8" 46 25'2" 47 25'8" #4A Electric LED PARS 48 26'2" 49 26'8" 50 27'2" 51 27'8" 52 28'2" #5 black border 53 28'7" #5 black legs 19' 55 30'2" 56 30'8" Electric #5 57 31'2" 58 31'8" 59 32'2" 60 32'8" 61 33'2" Traveler B.O. Drop 62 33'8" 63 34'2" #6 Electric (5 Far Cyc 3 Cir) 64 34'8" 65 35'2" 66 36'8" 67 36'2" 68 36'8" 69 37'2" #6 black legs 70 37'7" White filled scrim-CYC 71 38'1" Old Blackout Drop	39	21'8"	#4 black border	
42 23'2" 43 23'8" 44 24'2" #4 Electric 45 24'8" 46 25'2" 47 25'8" #4A Electric LED PARS 48 26'2" 49 26'8" 50 27'2" 51 27'8" 52 28'2" #5 black border 53 28'7" #5 black legs 19' 54 29'1" 55 30'2" 56 30'8" Electric #5 57 31'2" 58 31'8" 59 32'2" 60 32'8" 61 33'8" 61 33'8" 62 33'8" 63 34'2" #6 Electric (5 Far Cyc 3 Cir) 64 34'8" 65 35'2" 66 36'8" 67 36'2" 68 36'8" 69 37'2" #6 black legs 70 37'7" White filled scrim-CYC 71 38'1" Old Blackout Drop	40	22'2"	#4 black legs 19'	
43 23'8" 44 24'2" #4 Electric 45 24'8" 46 25'2" 47 25'8" #4A Electric LED PARs 48 26'2"" 49 26'8" 50 27'2" 51 27'8" 52 28'2" #5 black border 53 28'7" #5 black legs 19' 54 29'1" 55 30'2" 56 30'8" Electric #5 57 31'2" 58 31'8" 59 32'2" 60 32'8" 61 33'2" Traveler B.O. Drop 62 33'8" 63 34'2" #6 Electric (5 Far Cyc 3 Cir) 64 34'8" 65 35'2" 66 35'8" 67 36'2" 68 36'8" 69 37'2" #6 black legs 70 37'7" White filled scrim-CYC 71 38'1" Old Blackout Drop	41	22'8"		
44 24'2" #4 Electric 45 24'8" 46 25'2" 47 25'8" #4A Electric LED PARS 48 26'2" 49 26'8" 50 27'2" 51 27'8" 52 28'2" #5 black border 53 28'7" #5 black legs 19' 54 29'1" 55 30'2" 56 30'8" Electric #5 57 31'2" 58 31'8" 59 32'2" 60 32'8" 61 33'2" Traveler B.O. Drop 62 33'8" 63 34'2" #6 Electric (5 Far Cyc 3 Cir) 64 34'8" 65 35'2" 66 35'8" 67 36'2" 68 36'8" 69 37'2" #6 black legs 70 37'7" White filled scrim-CYC 71 38'1" Old Blackout Drop	42	23'2"		
45 24'8" 46 25'2" 47 25'8" #4A Electric LED PARS 48 26'2" 49 26'8" 50 27'2" 51 27'8" 52 28'2" #5 black border 53 28'7" #5 black legs 19' 54 29'1" 55 30'2" 56 30'8" Electric #5 57 31'2" 58 31'8" 59 32'2" 60 32'8" 61 33'2" Traveler B.O. Drop 62 33'8" 63 34'2" #6 Electric (5 Far Cyc 3 Cir) 64 34'8" 65 35'2" 66 35'8" 67 36'2" 68 36'8" 69 37'2" #6 black legs 70 37'7' White filled scrim-CYC 71 38'1" Old Blackout Drop	43	23'8"		
46 25'2" 47 25'8" 48 26'2" 49 26'8" 50 27'2" 51 27'8" 52 28'2" 45 black border 53 28'7" 45 black legs 19' 54 29'1" 55 30'2" 56 30'8" 56 30'8" 59 32'2" 60 32'8" 61 33'2" 61 33'2" 62 33'8" 63 34'2" 64 34'8" 65 35'2" 66 35'8" 66 36'8" 67 36'2" 68 36'8" 69 37'2" #6 black legs 70 37'7' White filled scrim-CYC 71 38'1" Old Blackout Drop	44	24'2"	#4 Electric	
47	45	24'8"		
48 26'2" 49 26'8" 50 27'2" 51 27'8" 52 28'2" #5 black border 53 28'7" #5 black legs 19' 54 29'1" 55 30'2" 56 30'8" Electric #5 57 31'2" 58 31'8" 59 32'2" 60 32'8" 61 33'2" Traveler B.O. Drop 62 33'8" 63 34'2" #6 Electric (5 Far Cyc 3 Cir) 64 34'8" 65 35'2" 66 35'8" 67 36'2" 68 36'8" 69 37'2" #6 black legs 70 37'7" White filled scrim-CYC 71 38'1" Old Blackout Drop	46	25'2"		
49 26'8" 50 27'2" 51 27'8" 52 28'2" #5 black border 53 28'7" #5 black legs 19' 54 29'1" 55 30'2" 56 30'8" Electric #5 57 31'2" 58 31'8" 59 32'2" 60 32'8" 61 33'2" Traveler B.O. Drop 62 33'8" 63 34'2" #6 Electric (5 Far Cyc 3 Cir) 64 34'8" 65 35'2" 66 35'8" 67 36'2" 68 36'8" 69 37'2" #6 black legs 70 37'7" White filled scrim-CYC 71 38'1" Old Blackout Drop	47	25'8"	#4A Electric LED PARs	
50 27'2" 51 27'8" 52 28'2" #5 black border 53 28'7" #5 black legs 19' 54 29'1" 55 30'2" 56 30'8" Electric #5 57 31'2" 58 31'8" 59 32'2" 60 32'8" 61 33'2" Traveler B.O. Drop 62 33'8" 63 34'2" #6 Electric (5 Far Cyc 3 Cir) 64 34'8" 65 35'2" 66 35'8" 67 36'2" 68 36'8" 69 37'2" #6 black legs 70 37'7" White filled scrim-CYC 71 38'1" Old Blackout Drop	48	26'2"'		
51 27'8" 52 28'2" #5 black border 53 28'7" #5 black legs 19' 54 29'1" *** 55 30'2" *** 56 30'8" Electric #5 57 31'2" *** 58 31'8" *** 59 32'2" *** 60 32'8" *** 61 33'2" Traveler B.O. Drop 62 33'8" *** 63 34'2" #6 Electric (5 Far Cyc 3 Cir) 64 34'8" *** 65 35'2" *** 66 35'8" *** 67 36'2" *** 68 36'8" *** 69 37'2" #6 black legs 70 37'7" White filled scrim-CYC 71 38'1" Old Blackout Drop	49	26'8"		
52 28'2" #5 black border 53 28'7" #5 black legs 19' 54 29'1" *** 55 30'2" *** 56 30'8" Electric #5 57 31'2" *** 58 31'8" *** 59 32'2" *** 60 32'8" *** 61 33'2" Traveler B.O. Drop 62 33'8" *** 63 34'2" #6 Electric (5 Far Cyc 3 Cir) 64 34'8" *** 65 35'2" *** 66 35'8" *** 67 36'2" *** 68 36'8" *** 69 37'2" #6 black legs 70 37'7" White filled scrim-CYC 71 38'1" Old Blackout Drop	50	27'2"		
53	51	27'8"		
54 29'1" 55 30'2" 56 30'8" Electric #5 57 31'2" 58 31'8" 59 32'2" 60 32'8" 61 33'2" Traveler B.O. Drop 62 33'8" 63 34'2" #6 Electric (5 Far Cyc 3 Cir) 64 34'8" 65 35'2" 66 35'8" 67 36'2" 68 36'8" 69 37'2" #6 black legs 70 37'7" White filled scrim-CYC 71 38'1" Old Blackout Drop	52	28'2"	#5 black border	
55 30'2" 56 30'8" Electric #5 57 31'2" 58 31'8" 59 32'2" 60 32'8" 61 33'2" Traveler B.O. Drop 62 33'8" 63 34'2" #6 Electric (5 Far Cyc 3 Cir) 64 34'8" 65 35'2" 66 35'8" 67 36'2" 68 36'8" 69 37'2" #6 black legs 70 37'7' White filled scrim-CYC 71 38'1" Old Blackout Drop	53	28'7"	#5 black legs 19'	
56 30'8" Electric #5 57 31'2" 58 31'8" 59 32'2" 60 32'8" 61 33'2" Traveler B.O. Drop 62 33'8" 63 34'2" #6 Electric (5 Far Cyc 3 Cir) 64 34'8" 65 35'2" 66 35'8" 67 36'2" 68 36'8" 69 37'2" #6 black legs 70 37'7" White filled scrim-CYC 71 38'1" Old Blackout Drop	54	29'1"		
57 31'2" 58 31'8" 59 32'2" 60 32'8" 61 33'2" Traveler B.O. Drop 62 33'8" 63 34'2" #6 Electric (5 Far Cyc 3 Cir) 64 34'8" 65 35'2" 66 35'8" 67 36'2" 68 36'8" 69 37'2" #6 black legs 70 37'7" White filled scrim-CYC 71 38'1" Old Blackout Drop	55	30'2"		
58 31'8" 59 32'2" 60 32'8" 61 33'2" Traveler B.O. Drop 62 33'8" 63 34'2" #6 Electric (5 Far Cyc 3 Cir) 64 34'8" 65 35'2" 66 35'8" 67 36'2" 68 36'8" 69 37'2" #6 black legs 70 37'7" White filled scrim-CYC 71 38'1" Old Blackout Drop	56	30'8"	Electric #5	
59 32'2" 60 32'8" 61 33'2" Traveler B.O. Drop 62 33'8" 63 34'2" #6 Electric (5 Far Cyc 3 Cir) 64 34'8" 65 35'2" 66 35'8" 67 36'2" 68 36'8" 69 37'2" #6 black legs 70 37'7" White filled scrim-CYC 71 38'1" Old Blackout Drop	57	31'2"		
60 32'8" 61 33'2" Traveler B.O. Drop 62 33'8" 63 34'2" #6 Electric (5 Far Cyc 3 Cir) 64 34'8" 65 35'2" 66 35'8" 67 36'2" 68 36'8" 69 37'2" #6 black legs 70 37'7" White filled scrim-CYC 71 38'1" Old Blackout Drop	58	31'8"		
61 33'2" Traveler B.O. Drop 62 33'8" 63 34'2" #6 Electric (5 Far Cyc 3 Cir) 64 34'8" 65 35'2" 66 35'8" 67 36'2" 68 36'8" 69 37'2" #6 black legs 70 37'7" White filled scrim-CYC 71 38'1" Old Blackout Drop	59	32'2"		
62 33'8" 63 34'2" #6 Electric (5 Far Cyc 3 Cir) 64 34'8" 65 35'2" 66 35'8" 67 36'2" 68 36'8" 69 37'2" #6 black legs 70 37'7" White filled scrim-CYC 71 38'1" Old Blackout Drop	60	32'8"		
63 34'2" #6 Electric (5 Far Cyc 3 Cir) 64 34'8" 65 35'2" 66 35'8" 67 36'2" 68 36'8" 69 37'2" #6 black legs 70 37'7" White filled scrim-CYC 71 38'1" Old Blackout Drop	61	33'2"	Traveler B.O. Drop	
64 34'8" 65 35'2" 66 35'8" 67 36'2" 68 36'8" 69 37'2" #6 black legs 70 37'7" White filled scrim-CYC 71 38'1" Old Blackout Drop	62	33'8"		
65 35'2" 66 35'8" 67 36'2" 68 36'8" 69 37'2" #6 black legs 70 37'7" White filled scrim-CYC 71 38'1" Old Blackout Drop	63	34'2"	#6 Electric (5 Far Cyc 3 Cir)	
66 35'8" 67 36'2" 68 36'8" 69 37'2" #6 black legs 70 37'7" White filled scrim-CYC 71 38'1" Old Blackout Drop	64	34'8"		
67 36'2" 68 36'8" 69 37'2" #6 black legs 70 37'7" White filled scrim-CYC 71 38'1" Old Blackout Drop	65	35'2"		
67 36'2" 68 36'8" 69 37'2" #6 black legs 70 37'7" White filled scrim-CYC 71 38'1" Old Blackout Drop	66	35'8"		
69 37'2" #6 black legs 70 37'7" White filled scrim-CYC 71 38'1" Old Blackout Drop	67			
70 37'7" White filled scrim-CYC 71 38'1" Old Blackout Drop	68	36'8"		
70 37'7" White filled scrim-CYC 71 38'1" Old Blackout Drop	69	37'2"	#6 black legs	
71 38'I" Old Blackout Drop	70	37'7"		
·	71	38'1"		
, ·- , ••	72	38'6"	·	
73 38'11" Rug Storage	73	38'11"	Rug Storage	

SOUND AND COMMUNICATIONS

SPEAKER CONFIGURATION

The Amaturo Theater has a stereo line array system, flown flanking the proscenium opening to cover the entire auditorium, with a flown sub array in the center.

Main Arrays

The primary speaker system consists of two (2) Meyers line arrays consisting of eight MINA compact curvilinear array speakers.

Sub Array

The sub-woofer array consists of three Meyers 500-HP compact high-power subwoofers.

Front Fills

The front fills consist of 98 JBL 8110h speakers built into the lip of the stage.



Effects Speakers

8- EAW LC12 (mounted on side and rear walls of the theater)(wired for Surround Sound)

SOUND MIX POSITIONS

There are two mixing position available in the Amaturo Theatre; the primary position is Row W, at the back of the house. The Alternate position is located along the center of the rear wall, in the Tech Gallery. It is fully open to the room. (See photo on page 20)

FRONT OF HOUSE CONSOLE

Midas Pro 3 IP Digital Console Control Centre with 36 Input Channels, 27 Mix Buses and 96 kHz Sample Rate

SOURCE GEAR

- 2 Sony Mini Disc machines with Auto Pause
- I TASCAM CD-RW901MK2 CD player/recorder

MONITORS & MICROPHONES

House Monitor Package

The Amaturo Theater is equipped to send five monitor mixes from the front of house console that we can send to 6 JBL MRX500 wedges. If more mixes are required, a separate monitor desk and operator will need to be brought in.

House Wireless Microphones

The Amaturo Theater is equipped with an Axient system. We have 8 receivers, 8 handheld wireless transmitters (with SM58 heads, and 4 KSM9 heads are also available), and 8 wireless bodypack transmitters.

Additional equipment

NOTE: The following Monitor Equipment and Microphone package is shared with other venues at the Broward Center and may not be available for your event unless prior arrangements have been made with Production Staff in advance of your event.

MONITOR CONSOLE:

Yamaha PM5D-RH

MONITOR SPEAKERS:

- 2 Shure in-ear monitors PSM700 w/ E3 SHU P7TRE3
- 10 powered wedge speakers Meyers UM100-P
- 2 Stage monitors Meyers USM-100P
- 4 Side Fill speakers Meyers UPQ-IP
- 4 powered subwoofer dual 10" Meyers UMS-IP
- 2 EV 1502 ER
- 6 | BL MRX 512M
- 5 EAW VM12
- 4 Galaxy hot spots
- 7 Anchor AN 1001 X
- I Anchor AN 1000 self-powered
- I Galaxy Audio Hot Spot PAIII self-powered hot spot

Portable Microphone Splitter:

- I 58 pair Whirlwind splitter with I direct out and 2 ISO splits
- I 15 Pair Wireworks splitter
- 6 I5 Pair permanent Mic input mults home run to sound booth from various locations

MICROPHONES

WIRED MICROPHONES:

Manufacturer/Model	Quantity	Manufacturer/Model	Quantity
Shure KSM 9	8	Sennheiser ME 66	4
Shure KSM 141	6	Sennheiser MD421U	3
Shure KSM 32	6		
Shure Beta SM57	9	Earthworks PM 40	2
Shure Beta SM58	7	Electro Voice RE320	2
Shure SM81	5	Electro Voice RV18	3
Shure SM87A	6	Electro Voice RE20	4
Shure Beta 98A	8	Electro Voice DS35	4
Shure Beta 91	2	Whirlwhind PB 12	2
Shure Beta 52	2	Beyer M160	4
Shure Beta 181S	4		
Shure Beta 56	6	Audio Tech AT857QMa	3
Shure Beta 57A	8	Audio Tech AT857QMLa	1
Shure WA310	12	Crown PCC 160	8
AKG C414 XLII/ST	2	Crown PZM LP6	3
AKG C214	2	Crown PZM 6RB	4
AKG C535	2	Crown GLM 200	2
Countryman ISOMAX 2	12	B & K 4011	2
Countryman ISOMAX 2H	12		
Countryman M4HP5RF24EB	6		

WIRELESS MICROPHONES:

There are six (16) channels of Shure ULXD Diversity Receivers, divided into two racks

- 8 ULXD receivers per rack
- 4 handheld transmitters with SM58 heads
- 8 Bodypack transmitters

DIRECT INPUT BOXES:

10	Countryman FET 85	Passive DI
6	Radial Engineering JDI MKIII	Passive DI
4	Radial Engineering JPC	PC DI
2	Whirlwind PCDI	PC DI

BACKSTAGE COMMUNICATIONS

The Amaturo Theatre is equipped with a Clear Com 2 channel intercom system; stations are located in the control booths, spot booths, and in the wings (including the fly rail).

- I MS-702 2-Channel Headset/Speaker Main Station
- 7 RS-701 wired belt pack (single channel)
- I RS702 wired belt pack (double channel)
- I WBS670 Wireless Intercom Base Station
- 6 WTR-670 Wireless belt pack (single channel)

LIGHTING INFORMATION

The Amaturo Theater is equipped with an extensive permanent "house" lighting plot. It comes focused and colored as per that plot. Any refocusing of equipment during the load-in must be restored during the load-out. To obtain copies of lighting plot contact the production offices. Available in PDF, DWG, or hard copy.

CONTROL

I ETC Gio with two fader panels, two LCD monitors ETC Sensor3 dimmer racks

POWER DISTRIBUTION

- 2 100 amp 3 phase (1) DSR and (1) DSL
- I 400 amp 3 phase USR at loading dock w/truck wall ports

FOLLOWSPOTS

2 Lycian 1275 Superstar 1.2 (1200w) Followspots located in tech gallery

COMPLETE INVENTORY

The Amaturo Theater has a permanent repertory light plot; therefore most of the inventory is hanging


Unit Description	Detail	Total	Hanging	On Rack
Colortran Ellipsoidal 5 deg.	#650-082	14	12	2
Colortran Ellipsoidal 10 deg.	#650-072	49	44	5
Colortran Ellipsoidal 15 deg	#650-052	4	4	0
Colortran Ellipsoidal 20 deg	#650-042	95	90	5
Colortran Ellipsoidal 30 deg	#650-032	Ш	74	37
Colortran Ellipsoidal 40 deg	#650-022	82	80	2
Colortran Ellipsoidal 50 deg	#650-012	6		6
PAR cans (P64)	Par 64	31	12	19
Colorado LED Wash	Quad 2 Zoom Tour	25	25	0
Elation Moving Light	Satura Spot CMY Pro	5	5	0
Par 56 striplights		17	3	14
Far Cyc		5	5	0
1011				
18' booms w/bases		2		
36' Genie personnel lift				

ONSTAGE SIDE LIGHT LADDERS

Dead-hung 26'-6" from CL, with a clearance of 10' to the bottom rung. SL/SR Ladders (4 ladders per side, instruments distributed equally to each)

DIMENSIONAL INFORMATION

Curtain line to Technical Gallery	86'
Curtain line to FOH rail	58'
Curtain line to Follow Spot booth	90
Technical Gallery R to L	70'




LIGHTING MAGIC SHEET

LIGHTING MAGIC 3H	<u> </u>		
PINK FOH (fronts)	BLUE FOH (fronts)	AMBER FOH (fronts)	n/c FOH (fronts)
7 6 5 4	17 16 15 14	26 25	
3 2 1	13 12 11	23 22 21	33 32 31
BOX BOOM PINK	BOX BOOM BLUE	FRONT DARK BLUE	LED WASH
(mainly for apron)	(mainly for apron)	<u>WASH</u>	56 57 58 59 60
9 8	` 19´ 18 ´	35	51 52 53 54 55
303 301	313 311		46 47 48 49 50
			41 42 43 44 45
			61 64
			62 63
MOVERS	BLUE CYC	RED CYC	AMBER CYC
73 74 75	282 281 280	285 284 283	288 287 286
71 72			
PINK HI SIDES	BLUE HI SIDES	BLUE BACKWASH	SHINS (optional)
90 85	100 95		218 214
89 84	99 94	128 129 130	217 213
88 83	98 93	131 132 133	216 212
87 82	97 92	134 135 136	215 211
86 81	96 91	137 138 139	
LADDER PINK	LADDER N/C	LADDER AMBER	LADDER
178 174	GOBO	198 19 4	LAVENDAR
177 173	188 184	197 193	208 20 4
176 172	187 183	196 192	207 203
175 171	186 182	195 191	206 202
	185 181		205 201
APRON RED	APRON AMBER	APRON BLUE	APRON PINK
312 312	302 302	318 317 316	305 306 307
		315	308
APRON N/C	SOLOS SPOT	MIRROR BALL	
321 322 323 324	<u>SPECIALS</u>	220 219	
	297 298 299		


FOCUSABLE UNITS

101, 102, 103, 104, 105, 151, 152, 153, 154,167	2 ND ELEC 106, 107, 108, 109, 110, 155, 156, 157, 158	3 RD ELEC 111, 112, 113, 114, 115, 159, 160, 161, 162	4 TH ELEC 116, 117,118, 119, 120, 163, 164, 165, 166
5 TH ELEC 121, 122, 123			

Lighting Plot: FOH



Lighting Plot: Stage



CIRCUIT LOCATION

CIR	CUIT	Location	Notes
1-24 25-38 39-46 47-60 61-64 65-68 69-74 75-80 81-86 87-92 93-98 99- 104 105-110 111-116 117-128 129-134 135-140 141-146 147-152 153-164 165-170 171-176 177-182 183-188 189-200 201-206 207-212 213-224 225-236 237-242 243-248 249-254 255-260 261-264 265-268 269-272 273-288	FC Te Te Te Bo Bo Cr So	Location OH Cove chnical Gallery SL chnical Gallery REAR chnical Gallery SR x Boom SL x Boom SR chestra Pit capex Breakout SL capex Breakout SL capex Breakout SL capex Breakout SL capex Breakout SR capex Breako	A'4" from Plaster Line 4'6" from Plaster Line 8' from Plaster Line 9'10" from Plaster Line 10'10" from Plaster Line 13'4" from Plaster Line 13'4" from Plaster Line 16'4" from Plaster Line 18'10" from Plaster Line 19'10" from Plaster Line 22'2" from Plaster Line 22'6" from Plaster Line 22'6" from Plaster Line 23' from Plaster Line 29' from Plaster Line 30' from Plaster Line 30' from Plaster Line 31'6" from Plaster Line 31'6" from Plaster Line
NON-DIMS A,B C,D E,F,G,H	Fly	OH Cove and Technical Ga Galleries SL and SR SL, USL, DSR, USR	ılleries

ORCHESTRA EQUIPMENT AND CONCERT SHELL

ORCHESTRA EQUIPMENT

- 96 Wenger Orchestra Chairs
- 6 Cello Chairs
- 86 Music Stands w/lights
- I Conductor's Podium and Stand
- 10 Stools

RISERS: Black skirting is available for risers

- 10 4'x 8'x 8"h
- 10 4'x 8'x 16"h
- 20 4'x 8'x 24"h

STEP UNITS:

- 2 8" single step units
- 2 I6" step units
- 2 24" step units

PIANOS (Note: Pianos tuned only by House Tuner Only - tuning not included)

- 2 9' Steinway Concert Grand Model D
- I 7' Steinway Grand Model B
- 4 Yamaha Uprights

ORCHESTRA CONCERT SHELL:

The Amaturo Theatre is equipped with 13 Wenger acoustical shell walls that can be arranged in a variety of configurations. Each shell piece is 6' wide in approximately 12' high with a 2' outrigger on the rear. Each shell piece is easily moveable with locking casters.



DRESSING ROOM / WARDROBE / SUPPORT SPACES

DRESSING ROOMS:

All dressing rooms are located directly behind the stage, and are accessible from either side. The numbering starts closest to SL, and proceeds across to SR. All rooms are equipped with showers, toilets, mirrors, chairs and costume racks. The smaller dressing rooms have a counter running the length of one long wall, while the larger rooms have counters running along both long walls. Companies working under an AEA contract should use the smaller number for dressing room assignments. There is an audio feed from the stage throughout the area.

Dressing Room #	Number of People	Dimensions	
Room #115	6-8 people	8' 6''W x 18' 4"L	
Room #116	12-16 people	14' W x 18' 4"L	
Room #117	12-16 people	14' W x 18' 4"L	
Room #118	6-8 people	8' 6"W x 18' 4"L	





WARDROBE ROOM:



There is no dedicated Wardrobe room at the Broward Center, just a small room for minor repairs. Shows booked into the Au-Rene Theatre have priority use of this room.

LAUNDRY ROOM:

The center has one laundry room to facilitate both theaters. It is located on stage level between the two theater spaces. There are three washers and three dryers in the laundry

room, as well as a double sink.

Arrangements must be made in advance, as shows booked into the Au-Rene Theatre have priority use of this room.



CARPENTRY SHOP

Broward Center has a small wood shop for general repairs and limited welding equipment for metal & steel, located in the Au-Rene backstage. Its availability is dependent on activity in the Au-Rene Theatre.



GREEN ROOM / WARM-UP SPACE



The Amaturo Green Room is 35' x 11' 6", and has a commercial grade coffee maker, standard refrigerator/freezer, and a sink. There is an audio feed from the stage, and a CCTV connection (television not included). It can be used as a Catering Room, a Wardrobe Room, a Production Office or a Rehearsal/Warm-up room. It has a section of mirrors and barres.

There are additional mirrors and barres outside of dressing room #118, and in the stage entrance to Up Stage Left.



SUPPORT SPACES

The Amaturo Theater is not equipped with office space for clients, but each dressing room, as well as the Green Room, can be equipped with a phone line and a high-speed internet connection. Room #118 has been the traditional favorite for production use, but any of the rooms can set up as an office. Phone and internet connections require advance notice, as the available outside phone lines must be shared with the Au-Rene Theater.

ADDITIONAL RENTAL SPACES

The following space must be reserved in advance, and is subject to availability: The Einstein Room is $36' \times 18'$ and is located next to Au-Rene Green Room. It has no mirrors or bars.

Backstage Map STAGE LEFT Q. Map of Amaturo Theater backstage BATHROOM BATHROOM